ELSEVIER

Brain Research 653 (1994) 357–359

BRAIN RESEARCH

Author Index

Ache, B.W., see Schmidt, M. (653) 315
Adamson, K.L., see Corrigall, W.A. (653) 278
Al-Majdalawi, A., see Gayoso, M.J. (653) 92
Araki, T., Kato, M. and Goto, I.
Altered GABAergic effects on kainic acid-induced seizures in the presence of hippocampal sclerosis in rats (653) 237

Barraclough, C.A., see He, J.-R. (653) 1
Belknap, J.K., see Mogil, J.S. (653) 16
Bell, J.R., see Gohil, K. (653) 258
Benoliel, J.J., Collin, E., Mauborgne, A., Bourgoin, S., Legrand, J.C., Hamon, M. and Cesselin, F.
Mu and delta opioid receptors mediate opposite modulations by morphine of the spinal release of cholecystokinin-like material (653) 81
Boldyreva, M., see Linke, R. (653) 73
Bourgoin, S., see Benoliel, J.J. (653) 81
Brucklacher, R.M., see Vannucci, R.C. (653) 141
Byers, M.R., see Sugaya, A. (653) 330

Carlson, J.N., see Glick, S.D. (653) 148
Castillo, P., see Pedroarena, C. (653) 31
Cesselin, F., see Benoliel, J.J. (653) 81
Chan, J.Y.H., see Tsou, M.-Y. (653) 183
Chan, P.H., see Gobbel, G.T. (653) 23
Chan, S.H.H., see Tsou, M.-Y. (653) 183
Chan, T.Y.-Y., see Gobbel, G.T. (653) 23
Chase, M.H., see Pedroarena, C. (653) 31
Chudler, E.H., see Sugaya, A. (653) 330
Cleary, J., Semotuk, M. and Levine, A.S.
Effects of neuropeptide Y on short-term memory (653) 210
Coen, K.M., see Corrigall, W.A. (653) 278
Collin, E., see Benoliel, J.J. (653) 81
Contzen, R. and Witte, O.W.
Epileptic activity can induce both long-lasting potentiation and long-lasting depression (653) 340
Corrigall, W.A., Coen, K.M. and Adamson, K.L.
Self-administered nicotine activates the mesolimbic dopamine system through the ventral tegmental area (653) 278
Crook, D.K., see Pow, D.V. (653) 199

Darcy, F., see Montero-Menei, C.N. (653) 101

DeAngelis, M.M., Hayes, R.L. and Lyeth, B.G.
Traumatic brain injury causes a decrease in M2 muscarinic cholinergic receptor binding in the rat brain (653) 39
Delivoria-Papadopoulos, M., see Shin, S.M. (653) 45
Dellu, F., Mayo, W., Vallée, M., Le Moal, M. and Simon, H.
Reactivity to novelty during youth as a predictive factor of cognitive impairment in the elderly: a longitudinal study in rats (653) 51
Denechaud, L., see Montero-Menei, C.N. (653) 101
De Zeeuw, C.I. and Ruigrok, T.J.H.
Olivary projecting neurons in the nucleus of Darkschewitsch in the cat receive excitatory monosynaptic input from the cerebellar nuclei (653) 345
Dube, M.G., see Kalra, P.S. (653) 285

Fernandez, J.M., see Gayoso, M.J. (653) 92
Ferrer, I., see Soriano, M.A. (653) 191
Fleckenstein, A.E., Lookingland, K.J. and Moore, K.E.
Differential role of histamine in mediating stress-induced changes in central dopaminergic neuronal activity in the rat (653) 267
Fleckenstein, A.E., Lookingland, K.J. and Moore, K.E.
Histaminergic neurons mediate restraint stress-induced increases in the activity of noradrenergic neurons projecting to the hypothalamus (653) 273
Foley, T.D. and Rhoads, D.E.
Stimulation of synaptosomal Na^+,K^+-ATPase by ethanol: possible involvement of an isozyme-specific inhibitor of Na^+,K^+-ATPase (653) 167

Garrosa, M., see Gayoso, M.J. (653) 92
Gayoso, M.J., Primo, C., Al-Majdalawi, A., Fernandez, J.M., Garrosa, M. and Iñiguez, C.
Brain lesions and water-maze learning deficits after systemic administration of kainic acid to adult rats (653) 92
Glick, S.D., Raucci, J., Wang, S., Keller Jr., R.W. and Carlson, J.N.
Neurochemical predisposition to self-administer cocaine in rats: individual differences in dopamine and its metabolites (653) 148
Gobbel, G.T., Chan, T.Y.-Y., Gregory, G.A. and Chan, P.H.
Response of cerebral endothelial cells to hypoxia: modification by fructose-1,6-bisphosphate but not glutamate receptor antagonists (653) 23
Gohil, K., Bell, J.R., Ramachandran, J. and Miljanich, G.P.
Neuroanatomical distribution of receptors for a novel voltage-sensitive calcium-channel antagonist, SNX-230 (ω-conopeptide MVIIC) (653) 258
Gomi, H., Ueno, I. and Yamanouchi, K.
Antioxidant enzymes in the brain of zitter rats: abnormal metabolism of oxygen species and its relevance to pathogenic changes in the brain of zitter rats with genetic spongiform encephalopathy (653) 66
Goto, I., see Araki, T. (653) 237
Gotow, T., see Mimura, Y. (653) 112
Grafe, M.R.
Developmental changes in the sensitivity of the neonatal rat brain to hypoxic/ischemic injury (653) 161
Gregory, G.A., see Gobbel, G.T. (653) 23

Hamon, M., see Benoliel, J.J. (653) 81
Handa, J., see Takayama, S. (653) 131
Hansson, P., see Yu, L.-C. (653) 223
Hards, D.K., see McKinley, M.J. (653) 305
Hayes, R.L., see DeAngelis, M.M. (653) 39
Hazama, F., see Takayama, S. (653) 131
He, J.-R., Molnar, J. and Barraclough, C.A.
Evidence that amplification of norepinephrine-induced LH release by morphine is indirectly due to suppression of tuberoinfundibular dopamine secretion (653) 1
Helms, M.L., see Mogil, J.S. (653) 16
Henry, G.H., see McCart, R.J. (653) 351

Iihara, K., see Takayama, S. (653) 131
Iñiguez, C., see Gayoso, M.J. (653) 92

Jehan, F., see Montero-Menei, C.N. (653) 101

Johnson, L., see Shin, S.M. (653) 45

Kalra, P.S., Dube, M.G. and Kalra, S.P.
Facilitatory effects of testosterone on hypothalamic tachykinin levels and release (653) 285
Kalra, S.P., see Kalra, P.S. (653) 285
Kato, M., see Araki, T. (653) 237
Keller Jr., R.W., see Glick, S.D. (653) 148
Kim, S.U., see Satoh, J.-i. (653) 243
Kimata, K., see Yamamoto, M. (653) 335
Kita, H., see Naito, A. (653) 251
Koenderink, M.J.Th., Uylings, H.B.M. and Mrzljak, L.
Postnatal maturation of the layer III pyramidal neurons in the human prefrontal cortex: a quantitative Golgi analysis (653) 173

Larocca, J.N., Rodriguez-Gabin, A.G., Rashbaum, W.K., Weidenheim, K.M. and Lyman, W.D.
Muscarinic receptor-dependent activation of phospholipase C in the developing human fetal central nervous system (653) 9
Leanza, G., see Mandel, R.J. (653) 57
Lee, T.-Y., see Tsou, M.-Y. (653) 183
Legrand, J.C., see Benoliel, J.J. (653) 81
Leibovic, K.N. and Pan, K.-Y.
The saturated response of vertebrate rods and its relation to cGMP metabolism (653) 325
Le Moal, M., see Dellu, F. (653) 51
Len, W.-B., see Tsou, M.-Y. (653) 183
Levine, A.S., see Cleary, J. (653) 210
Li, M., see Yamamoto, M. (653) 335
Liebeskind, J.C., see Mogil, J.S. (653) 16
Linke, R., Schwegler, H. and Boldyreva, M.
Cholinergic and GABAergic septo-hippocampal projection neurons in mice: a retrograde tracing study combined with double immunocytochemistry for choline acetyltransferase and parvalbumin (653) 73
Lookingland, K.J., see Fleckenstein, A.E. (653) 267
Lookingland, K.J., see Fleckenstein, A.E. (653) 273
Löscher, W., see Rundfeldt, C. (653) 125
Lundeberg, T., see Yu, L.-C. (653) 223
Lyeth, B.G., see DeAngelis, M.M. (653) 39
Lyman, W.D., see Larocca, J.N. (653) 9

Maler, L., see Wang, D. (653) 215
Mandel, R.J., Leanza, G., Nilsson, O.G. and Rosengren, E.
Amphetamine induces excess release of striatal acetylcholine in vivo that is independent of nigrostriatal dopamine (653) 57
Marek, P., see Mogil, J.S. (653) 16
Matsumoto, K., see Ni, J.-w. (653) 231
Mauborgne, A., see Benoliel, J.J. (653) 81
Mayo, W., see Dellu, F. (653) 51
McCart, R.J. and Henry, G.H.
Visual corticogeniculate projections in the cat (653) 351
McKinley, M.J., Hards, D.K. and Oldfield, B.J.
Identification of neural pathways activated in dehydrated rats by means of Fos-immunohistochemistry and neural tracing (653) 305
Miljanich, G.P., see Gohil, K. (653) 258
Mimura, Y., Gotow, T., Nishi, T. and Osame, M.
Mechanisms of hyperpolarization induced by two cytokines, hTNFα and hIL-1α in neurons of the mollusc, *Onchidium* (653) 112
Mishra, O.P., see Shin, S.M. (653) 45
Mitsuma, T., see Yamamoto, M. (653) 335
Mogil, J.S., Marek, P., O'Toole, L.A., Helms, M.L., Sadowski, B., Liebeskind, J.C. and Belknap, J.K.
μ-Opiate receptor binding is up-regulated in mice selectively bred for high stress-induced analgesia (653) 16
Molnar, J., see He, J.-R. (653) 1
Montero-Menei, C.N., Sindji, L., Pouplard-Barthelaix, A., Jehan, F., Denechaud, L. and Darcy, F.
Lipopolysaccharide intracerebral administration induces minimal inflammatory reaction in rat brain (653) 101
Moore, K.E., see Fleckenstein, A.E. (653) 267
Moore, K.E., see Fleckenstein, A.E. (653) 273
Morales, F.R., see Pedroarena, C. (653) 31
Morris, M., see Sim, L.J. (653) 155
Mrzljak, L., see Koenderink, M.J.Th. (653) 173

Naito, A. and Kita, H.
The cortico-pallidal projection in the rat: an anterograde tracing study with biotinylated dextran amine (653) 251
Ni, J.-w., Ohta, H., Matsumoto, K. and Watanabe, H.
Progressive cognitive impairment following chronic cerebral hypoperfusion induced by permanent occlusion of bilateral carotid arteries in rats (653) 231
Nilsson, O.G., see Mandel, R.J. (653) 57
Nishi, T., see Mimura, Y. (653) 112

Ohta, H., see Ni, J.-w. (653) 231
Oldfield, B.J., see McKinley, M.J. (653) 305
Osame, M., see Mimura, Y. (653) 112
O'Toole, L.A., see Mogil, J.S. (653) 16

Pan, K.-Y., see Leibovic, K.N. (653) 325
Pan, W.H.T., see Tsou, M.-Y. (653) 183
Pedroarena, C., Castillo, P., Chase, M.H. and Morales, F.R.
The control of jaw-opener motoneurons during active sleep (653) 31
Pinnock, R.D., Reynolds, T. and Woodruff, G.N.
Different types of bombesin receptors on neurons in the dorsal raphe nucleus and the rostral hypothalamus in rat brain slices in vitro (653) 119
Planas, A.M., see Soriano, M.A. (653) 191
Pouplard-Barthelaix, A., see Montero-Menei, C.N. (653) 101
Pow, D.V. and Crook, D.K.
Rapid postmortem changes in the cellular localisation of amino acid transmitters in the retina as assessed by immunocytochemistry (653) 199
Primo, C., see Gayoso, M.J. (653) 92

Ramachandran, J., see Gohil, K. (653) 258
Rashbaum, W.K., see Larocca, J.N. (653) 9
Raucci, J., see Glick, S.D. (653) 148
Razdan, B., see Shin, S.M. (653) 45
Reynolds, T., see Pinnock, R.D. (653) 119
Rhoads, D.E., see Foley, T.D. (653) 167
Rodriguez-Farré, E., see Soriano, M.A. (653) 191
Rodriguez-Gabin, A.G., see Larocca, J.N. (653) 9
Rosengren, E., see Mandel, R.J. (653) 57
Ruigrok, T.J.H., see De Zeeuw, C.I. (653) 345
Rundfeldt, C., Wlaź, P. and Löscher, W.
Anticonvulsant activity of antagonists and partial agonists for the NMDA receptor-associated glycine site in the kindling model of epilepsy (653) 125

Sadowski, B., see Mogil, J.S. (653) 16
Sasahara, M., see Takayama, S. (653) 131
Satoh, J.-i. and Kim, S.U.
HSP72 induction by heat stress in human neurons and glial cells in culture (653) 243
Schilling, L. and Wahl, M.
Opening of the blood–brain barrier during cortical superfusion with histamine (653) 289
Schmidt, M. and Ache, B.W.
FMRFamide-like immunoreactivity in presumptive chemosensory afferents of the spiny lobster, *Panulirus argus* (653) 315
Schwegler, H., see Linke, R. (653) 73
Selley, D.E., see Sim, L.J. (653) 155
Semotuk, M., see Cleary, J. (653) 210
Shin, S.M., Razdan, B., Mishra, O.P., Johnson, L. and Delivoria-Papadopoulos, M.
Protective effect of α-tocopherol on brain cell membrane function during cerebral cortical hypoxia in newborn piglets (653) 45
Sim, L.J., Selley, D.E., Tsai, K.P. and Morris, M.
Calcium and cAMP mediated stimulation of Fos in cultured hypothalamic tyrosine hydroxylase-immunoreactive neurons (653) 155
Simon, H., see Dellu, F. (653) 51
Sindji, L., see Montero-Menei, C.N. (653) 101
Sobue, G., see Yamamoto, M. (653) 335
Soriano, M.A., Tortosa, A., Planas, A.M., Rodriguez-Farré, E. and Ferrer, I.
Induction of HSP70 mRNA and HSP70

protein in the hippocampus of the developing gerbil following transient forebrain ischemia (653) 191
Sugaya, A., Chudler, E.H. and Byers, M.R. Uptake of exogenous fluorescent Di-I by intact junctional epithelium of adult rats allows retrograde labeling of trigeminal sensory neurons (653) 330

Takayama, S., Sasahara, M., Iihara, K., Handa, J. and Hazama, F. Platelet-derived growth factor B-chain-like immunoreactivity in injured rat brain (653) 131
Tejada-Berges, T. and Yong, V.W. The astrocyte mitogen, tumor necrosis factor-α, inhibits the proliferative effect of more potent adult human astrocyte mitogens, γ-interferon and activated T-lymphocyte supernatants (653) 297
Tortosa, A., see Soriano, M.A. (653) 191
Tsai, K.P., see Sim, L.J. (653) 155
Tsou, M.-Y., Len, W.-B., Lee, T.-Y., Chan, S.H.H., Pan, W.H.T. and Chan, J.Y.H. Participation of noradrenergic neurotransmission in the suppression by substance P of α_2-adrenoceptors at the nucleus reticularis gigantocellularis involved in central cardiovascular regulation in the rat (653) 183

Ueno, I., see Gomi, H. (653) 66
Uylings, H.B.M., see Koenderink, M.J.Th. (653) 173

Vallée, M., see Dellu, F. (653) 51
Vannucci, R.C. and Brucklacher, R.M. Cerebral mitochondrial redox states during metabolic stress in the immature rat (653) 141

Wahl, M., see Schilling, L. (653) 289
Wang, D. and Maler, L. The immunocytochemical localization of glutamate in the electrosensory system of the gymnotiform fish, *Apteronotus leptorhynchus* (653) 215
Wang, S., see Glick, S.D. (653) 148
Watanabe, H., see Ni, J.-w. (653) 231
Weidenheim, K.M., see Larocca, J.N. (653) 9
Witte, O.W., see Contzen, R. (653) 340
Wlaź, P., see Rundfeldt, C. (653) 125
Woodruff, G.N., see Pinnock, R.D. (653) 119

Yamada, Y., see Yamamoto, M. (653) 335
Yamamoto, M., Sobue, G., Li, M., Mitsuma, T., Kimata, K. and Yamada, Y. cAMP-dependent differential regulation of extracellular matrix (ECM) gene expression in cultured rat Schwann cells (653) 335
Yamanouchi, K., see Gomi, H. (653) 66
Yong, V.W., see Tejada-Berges, T. (653) 297
Yu, L.-C., Hansson, P. and Lundeberg, T. The calcitonin gene-related peptide antagonist $CGRP_{8-37}$ increases the latency to withdrawal responses in rats (653) 223

(contents continued)

Developmental changes in the sensitivity of the neonatal rat brain to hypoxic/ischemic injury
M.R. Grafe (USA)
Stimulation of synaptosomal Na^+,K^+-ATPase by ethanol: possible involvement of an isozyme-specific inhibitor of Na^+,K^+-AT
T.D. Foley and D.E. Rhoads (USA)
Postnatal maturation of the layer III pyramidal neurons in the human prefrontal cortex: a quantitative Golgi analysis
M.J.Th. Koenderink, H.B.M. Uylings and L. Mrzljak (Netherlands, USA)
Participation of noradrenergic neurotransmission in the suppression by substance P of α_2-adrenoceptors at the nucleus gigantocellularis involved in central cardiovascular regulation in the rat
M.-Y. Tsou, W.-B. Len, T.-Y. Lee, S.H.H. Chan, W.H.T. Pan and J.Y.H. Chan (Taiwan, ROC)
Induction of HSP70 mRNA and HSP70 protein in the hippocampus of the developing gerbil following transient forebrain isch
M.A. Soriano, A. Tortosa, A.M. Planas, E. Rodriguez-Farré and I. Ferrer (Spain)
Rapid postmortem changes in the cellular localisation of amino acid transmitters in the retina as assessed by immunocytochen
D.V. Pow and D.K. Crook (Australia)
Effects of neuropeptide Y on short-term memory
J. Cleary, M. Semotuk and A.S. Levine (USA)
The immunocytochemical localization of glutamate in the electrosensory system of the gymnotiform fish, *Apteronotus leptorhyn*
D. Wang and L. Maler (Canada)
The calcitonin gene-related peptide antagonist $CGRP_{8-37}$ increases the latency to withdrawal responses in rats
L.-C. Yu, P. Hansson and T. Lundeberg (Sweden, China)
Progressive cognitive impairment following chronic cerebral hypoperfusion induced by permanent occlusion of bilateral carotid rats
J.-w. Ni, H. Ohta, K. Matsumoto and H. Watanabe (Japan)
Altered GABAergic effects on kainic acid-induced seizures in the presence of hippocampal sclerosis in rats
T. Araki, M. Kato and I. Goto (Japan)
HSP72 induction by heat stress in human neurons and glial cells in culture
J.-i. Satoh and S.U. Kim (Canada)
The cortico-pallidal projection in the rat: an anterograde tracing study with biotinylated dextran amine
A. Naito and H. Kita (USA)
Neuroanatomical distribution of receptors for a novel voltage-sensitive calcium-channel antagonist, SNX-230 (ω-conopeptide M
K. Gohil, J.R. Bell, J. Ramachandran and G.P. Miljanich (USA)
Differential role of histamine in mediating stress-induced changes in central dopaminergic neuronal activity in the rat
A.E. Fleckenstein, K.J. Lookingland and K.E. Moore (USA)
Histaminergic neurons mediate restraint stress-induced increases in the activity of noradrenergic neurons projecting to the hypo
A.E. Fleckenstein, K.J. Lookingland and K.E. Moore (USA)
Self-administered nicotine activates the mesolimbic dopamine system through the ventral tegmental area
W.A. Corrigall, K.M. Coen and K.L. Adamson (Canada)
Facilitatory effects of testosterone on hypothalamic tachykinin levels and release
P.S. Kalra, M.G. Dube and S.P. Kalra (USA)
Opening of the blood–brain barrier during cortical superfusion with histamine
L. Schilling and M. Wahl (FRG)
The astrocyte mitogen, tumor necrosis factor-α, inhibits the proliferative effect of more potent adult human astrocyte γ-interferon and activated T-lymphocyte supernatants
T. Tejada-Berges and V.W. Yong (Canada)
Identification of neural pathways activated in dehydrated rats by means of Fos-immunohistochemistry and neural tracing
M.J. McKinley, D.K. Hards and B.J. Oldfield (Australia)
FMRFamide-like immunoreactivity in presumptive chemosensory afferents of the spiny lobster, *Panulirus argus*
M. Schmidt and B.W. Ache (USA)

Short communications

The saturated response of vertebrate rods and its relation to cGMP metabolism
K.N. Leibovic and K.-Y. Pan (USA)
Uptake of exogenous fluorescent Di-I by intact junctional epithelium of adult rats allows retrograde labeling of trigeminal sensor
A. Sugaya, E.H. Chudler and M.R. Byers (USA, Japan)
cAMP-dependent differential regulation of extracellular matrix (ECM) gene expression in cultured rat Schwann cells
M. Yamamoto, G. Sobue, M. Li, T. Mitsuma, K. Kimata and Y. Yamada (Japan, USA)
Epileptic activity can induce both long-lasting potentiation and long-lasting depression
R. Contzen and O.W. Witte (FRG)
Olivary projecting neurons in the nucleus of Darkschewitsch in the cat receive excitatory monosynaptic input from the cerebel
C.I. De Zeeuw and T.J.H. Ruigrok (Netherlands)
Visual corticogeniculate projections in the cat
R.J. McCart and G.H. Henry (Australia)

Author Index